

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Problem Image Mailbox.**

Figure 1






Figure 2

RT-PCR of NEBR1

Human Frontal Cortex



Tissue distribution of NEBR1 by Northern Blotting



Whole Tissue

Brain

Figure 3A

Figure 3B

Figure 3C

Tissue Distribution of NEBR1 mRNA




Figure 4A

Trans-Reporting Systems




Fig. 4B

Suppression of Thymidine kinase promoter activity by NEBR1




Figure 4C

Deletion Mutant Analyses of NEBR1





Fig. 4D
 Mutational analysis of NEBR1



Multiple Sequence Alignment

51 KRAB-A KRAB-B KRAB-B1 100

Figure 5B

KRAB mutant analysis of OTK-18




Fig. 5C




Figure 5D

NEBR1:

- Krüppel-associated box (KRAB)
containing transcription suppressor

1 711



KRAB

1 2 3 4 5 6 7 8 9 10 11 12 13

Zinc finger, C₂H₂ type

Figure 6A

HIV-Tat/LTR Reporting System




Figure 6B




Figure 7




Figure 8




Figure 9
RT Analysis of MDM media infected with HIV-1




Figure 10
Multi-step inhibition mechanism by NEBR1

